

Richard M. Marks, MD
Professor and Director
Division of Foot and Ankle
Department of Orthopaedic Surgery
Medical College of Wisconsin

Morton's Neuroma Resection

Explanation:

Pre-Operative Considerations:

All patients will have a pre-operative medical evaluation arranged either through your primary care provider or through pre-admission testing at Froedtert. Anti-inflammatory medications (i.e. ibuprofen, aspirin, plavix, or celebrex) need to be stopped seven days prior to surgery. You will be contacted the day prior to your scheduled procedure regarding the exact time of your procedure and required arrival. Please be punctual. If you are not contacted by 3:00 PM, please call (414) 805-3285 for procedures being done at Froedtert's main OR or (414) 805-

Postoperative Visits

Day 0-10

- xOutpatient procedure: Patients may go home the same day.
- xAnesthesia: A regional anesthetic at the level of the ankle (Ankle block) will be administered pre-operatively creating numbness in the foot for intra-operative and post-operative pain control. Intravenous sedation will be administered intra-operatively for relaxation.
- xDressings: Following the procedure, a soft dressing will be applied to the foot. This dressing is to be kept clean, dry and left in place until you return to clinic.
- xNon-weightbearing: To ensure optimal surgical results, you will be unable to bear weight on your operative side. The use of crutches or walker is required. Heel weightbearing may be allowed for balance only. Post-operative shoe should be worn for transfers or when patient is out of bed. You are not required to wear the shoe when in bed. Activities are strictly limited during this time.
- xElevation: Strict elevation above heart level (toes above the nose) for the first ten days is important to your recovery as it helps to minimize pain and swelling. Swelling can adversely affect the soft tissue by placing increased tension on incisions putting them at increased risk for dehiscence.

x

If any questions arise, please contact the office at (414) 805-7442 between 8:00 am and 4:30 pm Monday through Friday. Leave your number and message, Dr. Marks, Jamie, his physician assistant, or Mar t Í pm